

Index.php

```
<?php
session_start();
error_reporting(0);
include "../class.php";
?>
<html>
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible"
content="IE=edge">
  <title>CV Sinar Mas Sejahtera</title>
  <!-- Tell the browser to be responsive to
screen width -->
  <meta name="viewport"
content="width=device-width, initial-
scale=1">
  <!-- Font Awesome -->
  <link rel="stylesheet" href="plugins/font-
awesome/css/font-awesome.min.css">
  <!-- Ionicons -->
  <link rel="stylesheet"
href="https://code.ionicframework.com/ionico
ns/2.0.1/css/ionicons.min.css">
  <!-- Theme style -->
  <link rel="stylesheet"
href="dist/css/adminlte.min.css">
  <!-- iCheck -->
  <link rel="stylesheet"
href="plugins/iCheck/flat/blue.css">
  <!-- Morris chart -->
  <link rel="stylesheet"
href="plugins/morris/morris.css">
  <!-- jvectormap -->
  <link rel="stylesheet"
href="plugins/jvectormap/jquery-jvectormap-
1.2.2.css">
  <!-- Date Picker -->
  <link rel="stylesheet"
href="plugins/datepicker/datepicker3.css">
  <!-- Daterange picker -->
  <link rel="stylesheet"
href="plugins/daterangepicker/daterangepicker
-bs3.css">
  <!-- bootstrap wysihtml5 - text editor -->
  <link rel="stylesheet"
href="plugins/bootstrap-wysihtml5/bootstrap3-
wysihtml5.min.css">
  <!-- Google Font: Source Sans Pro -->
  <link
href="https://fonts.googleapis.com/css?family=
Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
</head>
<body class="hold-transition sidebar-mini">
<div class="wrapper">
  <!-- Navbar -->
```

```
<nav class="main-header navbar navbar-
expand bg-white navbar-light border-bottom">
  <!-- Left navbar links -->
  <ul class="navbar-nav">
    <li class="nav-item">
      <a class="nav-link" data-
widget="pushmenu" href="#"><i class="fa fa-
bars"></i></a>
    </li>
    <li class="nav-item d-none d-sm-inline-
block">
      <a href="index.php" class="nav-
link">Home</a>
    </li>
    <li class="nav-item d-none d-sm-inline-
block">
      <a href="../index.php" class="nav-
link">Logout</a>
    </li>
  </ul>

  <!-- Right navbar links -->

</nav>
<!-- /.navbar -->

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-
primary elevation-4">
  <!-- Brand Logo -->
  <a href="index3.html" class="brand-link">
    
    <span class="brand-text font-weight-
light"> CV SMS</span>
  </a>

  <!-- Sidebar -->
  <div class="sidebar">
    <!-- Sidebar user panel (optional) -->

    <!-- Sidebar Menu -->
    <nav class="mt-2">
      <ul class="nav nav-pills nav-sidebar flex-
column" data-widget="treeview" role="menu"
data-accordion="false">
        <!-- Add icons to the links using the
.nav-icon class
with font-awesome or any other icon
font library -->
        <?php
            if
($ _SESSION[Level]=="1"){
            ?>
            <li class="nav-item has-treeview menu-
open">
```

```

        <a href="index.php" class="nav-link
active">
        <i class="nav-icon fa fa-
dashboard"></i>
        <p>
            Homepage
        </p>
        </a>
    </li>
    <li class="nav-item">
        <a href="?menu=user" class="nav-
link">
            <i class="nav-icon fa fa-th"></i>
            <p>
                Data User
            </p>
        </a>
    </li>
    <li class="nav-item">
        <a href="?menu=pegawai" class="nav-
link">
            <i class="nav-icon fa fa-pie-
chart"></i>
            <p>
                Data pegawai
            </p>
        </a>
    </li>
    <li class="nav-item">
        <a href="?menu=jabatan" class="nav-
link">
            <i class="nav-icon fa fa-table"></i>
            <p>
                Data Jabatan
            </p>
        </a>
    </li>
    <li class="nav-header">Menu Gaji
Karyawan</li>
    <li class="nav-item">
        <a href="?menu=gaji" class="nav-
link">
            <i class="nav-icon fa fa-
calendar"></i>
            <p>
                Data Gaji
            </p>
        </a>
    </li>
    <li class="nav-item">
        <a href="?menu=insentif" class="nav-
link">
            <i class="nav-icon fa fa-envelope-
o"></i>
            <p>
                Data Insentif
            </p>

```

```

        </a>
    </li>
    <li class="nav-item">
        <a href="?menu=potongan"
class="nav-link">
            <i class="nav-icon fa fa-book"></i>
            <p>
                Data Potongan
            </p>
        </a>
    </li>
    <li class="nav-item">
        <a href="?menu=hasil" class="nav-
link">
            <i class="nav-icon fa fa-book"></i>
            <p>
                Total Gaji
            </p>
        </a>
    </li>
    <?php } elseif
($ _SESSION[Level]=="2"){
        ?>
        <li class="nav-item">
            <a href="?menu=pegawai" class="nav-
link">
                <i class="nav-icon fa fa-pie-
chart"></i>
                <p>
                    Data pegawai
                </p>
            </a>
        </li>
        <li class="nav-item">
            <a href="?menu=hasil" class="nav-
link">
                <i class="nav-icon fa fa-book"></i>
                <p>
                    Data Gaji Pegawai
                </p>
            </a>
        </li>
        <?php } else { ?>
            <li class="nav-
item">
                <a href="?menu=hasil2" class="nav-
link">
                    <i class="nav-icon fa fa-pie-
chart"></i>
                    <p>
                        Data Slip Gaji
                    </p>
                </a>
            </li>
            <?php } ?>

```

```

<!--      <li class="nav-header">Menu
Laporan</li>
      <li class="nav-item has-treeview">
        <a href="" class="nav-link">
          <i class="nav-icon fa fa-file"></i>
          <p>
            Laporan-laporan
          <i class="fa fa-angle-left right"></i>
          </p>
        </a>
        <ul class="nav nav-treeview">
          <li class="nav-item">
            <a href="laporan/gaji.php"
class="nav-link">
              <i class="fa fa-circle-o nav-
icon"></i>
              <p>Laporan Gaji</p>
            </a>
          </li>
          <li class="nav-item">
            <a href="laporan/potongan.php"
class="nav-link">
              <i class="fa fa-circle-o nav-
icon"></i>
              <p>Laporan Porongan gaji</p>
            </a>
          </li>
          <li class="nav-item">
            <a href="laporan/insentif.php"
class="nav-link">
              <i class="fa fa-circle-o nav-
icon"></i>
              <p>Laporan Insentif</p>
            </a>
          </li>
        </ul>
      </li>
    </ul>
  </nav>
  <!-- /.sidebar-menu -->
</div>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content
-->
<div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <div class="content-header">
    <div class="container-fluid">
      <div class="row mb-2">
        <div class="col-sm-6">
          <h1 class="m-0 text-dark">CV Sinar
Mas Sejahtera</h1>
        </div><!-- /.col -->
        <div class="col-sm-6">

```

```

      <ol class="breadcrumb float-sm-right">
        <li class="breadcrumb-item"><a
href="#">Home</a></li>
        <li class="breadcrumb-item
active">Dashboard v2</li>
      </ol>
    </div><!-- /.col -->
  </div><!-- /.row -->
</div><!-- /.container-fluid -->
</div>
<!-- /.content-header -->

<!-- Main content -->
<section class="content">
  <div class="container-fluid">
    <!-- Small boxes (Stat box) -->
    <div class="row">
      <!-- /.col -->
      <!-- /.col -->
      <!-- /.col -->
      <!-- /.col -->
    </div>
    <!-- /.row -->
    <!-- Main row -->
    <div class="row">
      <!-- Left col -->
      <section class="col-lg-12
connectedSortable">
        <?php
        if (empty($_GET[menu]))
          include "main.php";
        else
          include
"mod/$_GET[menu].php";
      <?>
    </section>
  </div>
  <!-- /.row (main row) -->
</div><!-- /.container-fluid -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
  <strong>Copyright &copy; 2018 <a
href="http://adminlte.io">AdminLTE.io</a>.</
strong>
  All rights reserved.
  <div class="float-right d-none d-sm-inline-
block">
    <b>Version</b> 3.0.0-alpha

```

User.php

```

        $resultx=new database();
        foreach($resultx-
>tampil_data("select * from user") as $w){
            echo " <tr>

                <td>$w[KodeUser]</td>

                <td>$w[Username]</td>

                <td>$w[Password]</td>

                <td>$w[Level]</td>
                <td>
                    <a
href='?menu=user&gos=tambah&kd=$w[Kode
User]'> <i class='fa fa-edit'></i></a>
                    <a
href='?menu=user&gos=hapus&kd=$w[Kode
User]'> <i class='fa fa-trash'></i></a>
                </td>
            </tr> ";
        }

        echo "

</tbody>

        </table>

        </div>
    </div>
</div>
</div>
";

```

```

if (isset($_POST[simpan])){
    //simpan
    $insert =new database();
    $data['KodeUser']
    =$_POST[KodeUser];
    $data['Username']
    =$_POST[Username];
    $data['Password']
    =$_POST[Password];
    $data['Level']
    =$_POST[Level];
    $insert
    >insert("user",$data);

    //ubah
    $update = new database;
    $KodeUser =KodeUser;
    $data['KodeUser']
    =$_POST[KodeUser];

```

```

    $data['Username']
    =$_POST[Username];
    $data['Password']
    =$_POST[Password];
    $data['Level']
    =$_POST[Level];
    $update-
    >update("user",$data,"KodeUser
    =
    $_GET[kd]");
    $update-
    >pesanMasuk("?menu=user","Berhasil simpan
    data");
}
if($_GET[gos]=="hapus"){
    $hapus = new database;
    $KodeUser =1;
    $hapus ->delete("user","KodeUser =
    $_GET[kd]");
    $hapus-
    >pesanMasuk("?menu=user","Berhasil simpan
    data");
}

```

pegawai.php

```

<?php
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from pegawai
where IDPegawai='$_REQUEST[kd]'");

$KodeUser=$resultx->combo("select
KodeUser as kd, concat(KodeUser,'
',Username) as f from user where
Level='3'",$w[KodeUser]);
echo "

```

```

<div class='container-fluid'><hr>
    <div class='row-fluid'>
        <div class='span6'>
            <div class='widget-box'>
                <div class='widget-title'> <span
class='icon'> <i class='icon-pencil'></i>
</span>
                <h5>Form pegawai</h5>
            </div>
            <div class='widget-content nopadding'>
                <form id='form-wizard' class='form-
horizontal' method='post'>
                    <div id='form-wizard-1' class='step'>

                        <input
                            id='IDPegawai'
type='hidden'
                            name='IDPegawai'
value='$w[IDPegawai]' />

                        <div class='control-group'>
                            <label class='control-label'>Nama
Pegawai</label>

```



```

<tbody>
    ";
    $resultx=new database();
    foreach($resultx-
>tampil_data("select * from pegawai a left
outer join gaji b on a.IDPegawai=b.IDPegawai

```

```

left outer join jabatan c on
b.KodeJabatan=c.KodeJabatan ORDER BY
a.IDPegawai ASC") as $w){
    echo " <tr>

```

```

<td>$w[IDPegawai]</td>

```

```

<td>$w[NamaPegawai]</td>

```

```

<td>$w[NamaJabatan]</td>

```

```

<td>$w[AlamatPegawai]</td>

```

```

<td>$w[TeleponPegawai]</td>

```

```

<td>$w[JenisKelamin]</td>

```

```

<td>

```

```

<a

```

```

href="?menu=pegawai&gos=tambah&kd=$w[I
DPegawai]"> <i class='fa fa-edit'></i></a>

```

```

<a

```

```

href="?menu=pegawai&gos=hapus&kd=$w[ID
Pegawai]"> <i class='fa fa-trash'></i></a>

```

```

</td>

```

```

</tr> ";

```

```

}

```

```

echo "

```

```

</tbody>

```

```

</table>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

";
if (isset($_POST[simpan])){
    //simpan

```

```

    $insert =new database();

```

```

    $data['IDPegawai']

```

```

=$_POST[IDPegawai]";

```

```

    $data['NamaPegawai']

```

```

=$_POST[NamaPegawai]";

```

```

    $data['AlamatPegawai']

```

```

=$_POST[AlamatPegawai]";

```

```

    $data['TeleponPegawai']

```

```

=$_POST[TeleponPegawai]";

```

```

    $data['JenisKelamin']

```

```

=$_POST[JenisKelamin]";

```

```

    $data['IDPegawai']

```

```

=$_POST[IDPegawai]";

```

```

    $insert

```

```

>insert("pegawai",$data);

```

```

//ubah

```

```

$ubah = new database;

```

```

$IDPegawai =IDPegawai;

```

```

$data['IDPegawai']

```

```

=$_POST[IDPegawai]";

```

```

    $data['NamaPegawai']

```

```

=$_POST[NamaPegawai]";

```

```

    $data['AlamatPegawai']

```

```

=$_POST[AlamatPegawai]";

```

```

    $data['TeleponPegawai']

```

```

=$_POST[TeleponPegawai]";

```

```

    $data['JenisKelamin']

```

```

=$_POST[JenisKelamin]";

```

```

    $data['IDPegawai']

```

```

=$_POST[IDPegawai]";

```

```

    $ubah-

```

```

>update("pegawai",$data,"IDPegawai
=$_GET[kd]");

```

```

    $ubah-

```

```

>pesanMasuk("?menu=pegawai","Berhasil
simpan data");

```

```

}

```

```

if($_GET[gos]=="hapus"){

```

```

    $hapus = new database;

```

```

    $IDPegawai =1;

```

```

    $hapus

```

```

>delete("pegawai","IDPegawai
=$_GET[kd]");

```

```

    $hapus-

```

```

>pesanMasuk("?menu=pegawai","Berhasil
menghapus data");

```

```

}

```

Jabatan.php

```

<?php

```

```

//include "../class.php";

```

```

$resultx = new database;

```

```

$w=$resultx->cari("select * from jabatan
where KodeJabatan=$_GET[kd]");

```

```

$GajiPegawai=$resultx->combo("select
GajiPegawai as kd, concat(GajiPegawai,
>NamaPegawai) as f from
pegawai",$w[GajiPegawai]);

```

```

$KodeJabatan=$resultx->combo("select
KodeJabatan as kd, concat(KodeJabatan,
>NamaJabatan) as f from
jabatan",$w[KodeJabatan]);

```

```

$th=date("Y");

```

```

if (empty($w)){

```

```

        $m=$resultx->cari("select
count(*)+1 as j from jabatan");

        $nox="$m[j]/Pdt.G/$th/PA.PLG";
    }else{
        $nox=$w[KodeJabatan];
    }

echo "

<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span10'>
<div class='widget-box'>
<div class='widget-title'> <span
class='icon'> <i class='icon-pencil'></i>
</span>
<h5>Form jabatan</h5>
</div>
<div class='widget-content nopadding'>
<form id='form-wizard' class='form-
horizontal' method='post'>
<div id='form-wizard-1' class='step'>
<input
id='KodeJabatan' type='hidden'
name='KodeJabatan' value='$nox' />
<div class='control-group'>
<label class='control-
label'>Jabatan</label>
<div class='controls'>
<input class='form-control'
id='NamaJabatan' type='text'
name='NamaJabatan'
value='$w[NamaJabatan]' />
</div>
</div>

<div class='control-
group'>
<label class='control-label'>Gaji
Pegawai</label>
<div class='controls'>
<input class='form-control'
id='GajiPegawai' type='text'
name='GajiPegawai' value='$w[GajiPegawai]'
/>
</div>
</div>

<div class='control-group'>

<input type='submit'
name='simpan' class='btn btn-info btn-fill pull-
right' value='simpan'>
<div id='status'></div>
</div>
<div id='submitted'></div>

```

```

</form>
</div>
</div>
</div>
</div>
";
//table
echo "
<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span12'>
<div class='widget-box'>
<div class='widget-title'> <span
class='icon'> <i class='icon-pencil'></i>
</span>
<h5>Tabel jabatan </h5>
</div>
<div class='content table-
responsive table-full-width'>
<table class='table table-
bordered data-table'>
<thead>
<th>KodeJabatan</th>
<th>Jabatan</th>
<th>Gaji
Pokok</th>
<th>#</th>
</thead>
<tbody>
";
$resultx=new database();
foreach($resultx-
>tampil_data("select * from jabatan") as $w){
echo " <tr>

<td>$w[KodeJabatan]</td>

<td>$w[NamaJabatan]</td>

<td>$w[GajiPegawai]</td>
<td>
<a
href='?menu=jabatan&gos=tambah&kd=$w[K
odeJabatan]'> <i class='fa fa-edit'></i> </a>
<a
href='?menu=jabatan&gos=hapus&kd=$w[Ko
deJabatan]'> <i class='fa fa-trash'></i> </a>
</td>
</tr> ";
}

echo "

</tbody>

</table>

</div>

```



```

        </div>
    </div>
    </div>
</div>
";

if (isset($_POST[simpan])){
    //simpan
    $insert = new database();

    $data['KodeJabatan']
    =$_POST[KodeJabatan];

    $data['NamaJabatan']
    =$_POST[NamaJabatan];

    $data['GajiPegawai']
    =$_POST[GajiPegawai];
    $insert
    >insert("jabatan",$data);
    //ubah
    $ubah = new database;
    $Kode = KodeJabatan;
    $data['KodeJabatan']
    =$_POST[KodeJabatan];
    $data['NamaJabatan']
    =$_POST[NamaJabatan];
    $data['GajiPegawai']
    =$_POST[GajiPegawai];
    $ubah-
    >update("jabatan",$data,"KodeJabatan
    '$_GET[kd]'");
    $ubah-
    >pesanMasuk("?menu=jabatan","Berhasil
    simpan data");
}
if($_GET[gos]=="hapus"){
    $hapus = new database;
    $kode = 1;
    $hapus
    >delete("jabatan","KodeJabatan
    '$_GET[kd]'");
    $hapus-
    >pesanMasuk("?menu=jabatan","Berhasil
    menghapus data");
}

```

Gaji.php

```

<?php
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from gaji where
KodeGaji='$_GET[kd]'");
$IDPegawai=$resultx->combo("select
IDPegawai as kd, concat(IDPegawai, '-',
>NamaPegawai) as f from
pegawai",$w[IDPegawai]);

```

```

$KodeJabatan=$resultx->combo("select
KodeJabatan as kd, concat(KodeJabatan, '-',
>NamaJabatan) as f from
jabatan",$w[KodeJabatan]);
$th=date("Y");
if (empty($w)){
    $m=$resultx->cari("select
count(*)+1 as j from gaji");

    $nox="$m[j]/Pdt.G/$th/PA.PLG";
}
else{
    $nox=$w[KodeGaji];
}

echo "
<div class='container-fluid'><hr>
<div class='row-fluid'>
    <div class='span10'>
        <div class='widget-box'>
            <div class='widget-title'> <span
class='icon'> <i class='icon-pencil'></i>
</span>
            <h5>Form gaji</h5>
            </div>
            <div class='widget-content nopadding'>
                <form id='form-wizard' class='form-
horizontal' method='post'>
                    <div id='form-wizard-1' class='step'>

                        <input
id='KodeGaji' type='hidden' name='KodeGaji'
value='$nox' />

                        <div class='control-group'>
                            <label class='control-label'>Tanggal
Gaji</label>
                            <div class='controls'>
                                <input
                                class='form-control'
                                id='TanggalGaji'
                                type='date'
                                name='TanggalGaji'
                                value='$w[TanggalGaji]'
                                />
                            </div>
                        </div>
                        <div class='control-group'>
                            <label
                                class='control-
                                label'>Pegawai</label>
                            <div class='controls'>
                                <select
                                    name=IDPegawai
                                    value='$w[IDPegawai]'
                                    class='form-control'
                                    id='IDPegawai'
                                    placeholder='IDPegawai'>

                                    <option
                                        selected
                                        disabled
                                        value='$w[IDPegawai]'>$w[IDPegawai]</opti
                                        on>

                                    IDPegawai

                                </select>
                            </div>

```

```

</div>

<div class='control-group'>
  <label class='control-label'>Gaji
  Pegawai</label>

  <div
    class='controls'>
      <select name=KodeJabatan
        value='$w[KodeJabatan]' class='form-control'
        id='KodeJabatan' placeholder='KodeJabatan'>

        <option selected disabled
          value='$w[KodeJabatan]'>$w[KodeJabatan]</
          option>

        $KodeJabatan
      </select>
    </div>
  </div>
</div>

<div class='control-group'>
  <input type='submit'
    name=simpan class='btn btn-info btn-fill pull-
    right' value=simpan>
  <div id='status'></div>
  </div>
  <div id='submitted'></div>
</form>
</div>
</div>
</div>
</div>
</div>
";
//table
echo "
<div class='container-fluid'><hr>
  <div class='row-fluid'>
    <div class='span12'>
      <div class='widget-box'>
        <div class='widget-title'>
          <span
            class='icon'> <i class='icon-pencil'></i>
          </span>
          <h5>Tabel gaji </h5>
        </div>

        <div class='content table-
        responsive table-full-width'>
          <table class='table table-
          bordered data-table'>
            <thead>

              <th>KodeGaji</th>
              <th>Tanggal
                Gaji</th>
              <th>Nama
                Pegawai</th>
              <th>Jabatan</th>

```

```

              <th>Gaji
                Pokok</th>
            </thead>
            <tbody>
              ";
              $resultx=new database();
              foreach($resultx-
                >tampil_data("select * from gaji a left outer
                join pegawai b on b.IDPegawai=a.IDPegawai

                left outer join jabatan c on
                a.KodeJabatan=c.KodeJabatan ORDER BY
                a.KodeGaji") as $w){
                echo " <tr>
                  <td>$w[KodeGaji]</td>

                  <td>$w[TanggalGaji]</td>

                  <td>$w[NamaPegawai]</td>

                  <td>$w[NamaJabatan]</td>

                  <td>$w[GajiPegawai]</td>
                  <td>
                    <a
                      href='?menu=gaji&gos=tambah&kd=$w[Kode
                      Gaji]'> <i class='fa fa-edit'></i> </a>
                    <a
                      href='?menu=gaji&gos=hapus&kd=$w[KodeG
                      aji]'> <i class='fa fa-trash'></i> </a>
                    </td>
                  </tr> ";
                }
              echo "
            </tbody>
          </table>
        </div>
      </div>
    </div>
  </div>
  </div>
  ";
  if (isset($_POST[simpan])){
    //simpan
    $insert =new database();
    $data['KodeGaji']
    ="$_POST[KodeGaji]";
    $data['TanggalGaji']
    ="$_POST[TanggalGaji]";
    $data['IDPegawai']
    ="$_POST[IDPegawai]";

```

```

        $data['KodeJabatan']
        ="$_POST[KodeJabatan]";
        $insert->insert("gaji",$data);
        //ubah
        $ubah = new database;
        $Kode = KodeGaji;
        $data['KodeGaji']
        ="$_POST[KodeGaji]";
        $data['TanggalGaji']
        ="$_POST[TanggalGaji]";
        $data['IDPegawai']
        ="$_POST[IDPegawai]";
        $data['KodeJabatan']
        ="$_POST[KodeJabatan]";
        $ubah-
        >update("gaji",$data,"KodeGaji
        '$_GET[kd]");
        $ubah-
        >pesanMasuk("?menu=gaji","Berhasil simpan
        data");
    }
    if($_GET[gos]=="hapus"){
        $hapus = new database;
        $kode = 1;
        $hapus->delete("gaji","KodeGaji =
        '$_GET[kd]'");
        $hapus-
        >pesanMasuk("?menu=gaji","Berhasil simpan
        data");
    }

```

Insentif.php

```

<?php
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from insentif
where KodeInsentif='$_GET[kd]'");

$KodeGaji=$resultx->combo("select KodeGaji
as kd, concat(KodeGaji,'-',GajiPegawai) as f
from gaji a left outer join pegawai b on
b.IDPegawai=a.IDPegawai

left outer join jabatan c on
a.KodeJabatan=c.KodeJabatan
",$w[KodeGaji]);
$th=date("Y");
if (empty($w)){
        $m=$resultx->cari("select
count(*)+1 as j from insentif");
        $nox="$m[j]/Pdt.G/$th/PA.PLG";
    }else{
        $nox=$w[KodeInsentif];
    }
echo "

```

```

<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span10'>
<div class='widget-box'>
<div class='widget-title'> <span
class='icon'> <i class='icon-pencil'></i>
</span>
<h5>Form insentif</h5>
</div>
<div class='widget-content nopadding'>
<form id='form-wizard' class='form-
horizontal' method='post'>
<div id='form-wizard-1' class='step'>
<input
id='KodeInsentif' type='hidden'
name='KodeInsentif' value='$nox' />
<div class='control-
group'>
<label class='control-label'>Kode
Gaji</label>
<div class='controls'>
<select name=KodeGaji
value='$w[KodeGaji]' class='form-control'
id='KodeGaji' placeholder='KodeGaji'>
<option selected disabled
value='$w[KodeGaji]'>$w[KodeGaji]</option>
>
$KodeGaji
</select>
</div>
</div>
<div class='control-group'>
<label class='control-label'>Insentif
Pegawai</label>
<div class='controls'>
<select
class='form-control' id='InsentifPegawai'
type='text' name='InsentifPegawai'
value='$w[InsentifPegawai]'>
<option selected disabled
value='$w[InsentifPegawai]'>$w[InsentifPega
wai]</option>
<option value='0.1'>100-300</option>
<option
value='0.2'>350-500</option>
<option
value='0.3'>550-700</option>
<option
value='0.4'>750-1000</option>
<option
value='0.5'>1100-1300</option>
</select>
</div>
</div>
</div>

```

```

<div class='form-actions'>
    <input type='submit'
name=simpan class='btn btn-info btn-fill pull-
right' value=simpan>
    <div id='status'></div>
</div>
<div id='submitted'></div>
</form>
</div>
</div>
</div>
</div>
</div>
";
//table
echo "
<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span12'>
<div class='widget-box'>
<div class='widget-title'> <span
class='icon'> <i class='icon-pencil'></i>
</span>
<h5>Tabel insentif </h5>
</div>
<div class='content table-
responsive table-full-width'>
<table class='table table-
bordered data-table'>
<thead>
<th>KodeInsentif</th>
<th>Nama
Pegawai</th>
<th>Tanggal
Gaji</th>
<th>Target
Pencapaian</th>
<th>Bonus
Pegawai</th>
<th>insentif
Pegawai</th>
<th>#</th>
</thead>
<tbody>
";
$resultx=new database();
foreach($resultx-
>tampil_data("select * from insentif a left outer
join gaji b on b.KodeGaji=a.KodeGaji

left outer join pegawai c on
c.IDPegawai=b.IDPegawai

left outer join jabatan d on
b.KodeJabatan=d.KodeJabatan") as $w){

```

```

if
($w[InsentifPegawai]==0.1){
    $i=='100-
300';
}
else if
($w[InsentifPegawai]==0.2){
    $i='350-
500';
}
else if
($w[InsentifPegawai]==0.3){
    $i='550-
700';
}
else if
($w[InsentifPegawai]==0.4){
    $i='750-
1000';
} else {
    $i='1100-
13000';
}

$bonus=$w[GajiPegawai]*$w[Insenti
fPegawai];
echo " <tr>

<td>$w[KodeInsentif]</td>

<td>$w[NamaPegawai]</td>

<td>$w[TanggalGaji]</td>
<td>$i</td>

<td>$w[InsentifPegawai]</td>
<td>$bonus</td>

<td>
<a
href='?menu=insentif&gos=tambah&kd=$w[K
odeInsentif]'> <i class='fa fa-edit'></i> </a>
<a
href='?menu=insentif&gos=hapus&kd=$w[Ko
deInsentif]'> <i class='fa fa-trash'></i> </a>
</td>
</tr> ";
}

echo "

</tbody>

</table>

</div>
</div>
</div>
</div>
";
if (isset($_POST[simpan])){
    //simpan

```

```

$insert =new database();

$data['KodeInsentif']
=$_POST[KodeInsentif];
$data['KodeGaji']
=$_POST[KodeGaji];

$data['InsentifPegawai']
=$_POST[InsentifPegawai];
$insert
>insert("insentif",$data);

//ubah
$ubah = new database;
$Kode =KodeInsentif;
$data['KodeInsentif']
=$_POST[KodeInsentif];
$data['KodeGaji']
=$_POST[KodeGaji];
$data['InsentifPegawai']
=$_POST[InsentifPegawai];
$ubah-
>update("insentif",$data,"KodeInsentif
'$_GET[kd]'");
$ubah-
>pesanMasuk("?menu=insentif","Berhasil
simpan data");

}
if($_GET[gos]=="hapus"){
    $hapus = new database;
    $kode =1;
    $hapus
    >delete("insentif","KodeInsentif
'$_GET[kd]'");
    $hapus-
    >pesanMasuk("?menu=insentif","Berhasil
simpan data");
}

```

Potongan.php

```

<?php
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from potongan
where KodePotongan=$_GET[kd]");

$KodeGaji=$resultx->combo("select KodeGaji
as kd, concat(KodeGaji,'-',GajiPegawai) as f
from gaji a left outer join pegawai b on
b.IDPegawai=a.IDPegawai

left outer join jabatan c on
a.KodeJabatan=c.KodeJabatan",$w[KodeGaji])
;
$th=date("Y");

echo "

```

```

<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span10'>
<div class='widget-box'>
<div class='widget-title'> <span
class='icon'> <i class='icon-pencil'></i>
</span>
<h5>Form potongan</h5>
</div>
<div class='widget-content nopadding'>
<form id='form-wizard' class='form-
horizontal' method=post>
<div id='form-wizard-1' class='step'>
<input
id='KodePotongan' type='hidden'
name='KodePotongan'
value='$w[KodePotongan]' />

<div class='control-
group'>
<label class='control-label'>Kode
Gaji</label>
<div class='controls'>
<select name=KodeGaji
value='$w[KodeGaji]' class='form-control'
id='KodeGaji' placeholder='KodeGaji'

<option selected disabled
value='$w[KodeGaji]'>$w[KodeGaji]</option>
>

$KodeGaji

</div>
</div>

<div class='control-
group'>
<label class='control-
label'>Potongan Gaji Pegawai</label>
<div class='controls'>
<select name=PotonganPegawai
value='$w[PotonganPegawai]' class='form-
control'
id='PotonganPegawai'
placeholder='PotonganPegawai'>

<option selected disabled
value='$w[PotonganPegawai]'>$w[PotonganPe
gawai]</option>
<option value='0.3'>30%</option>

<option value='0.5'>50%</option>

<option value='1'>100%</option>
</select>

</div>
</div>

<div class='control-group'>

```

```

<label class='control-label'>Potongan Jaminan Kesehatan</label>
<div class='controls'>
    <input class='form-control'
id='PotonganKesehatan' type='text'
name='PotonganKesehatan'
value='$w[PotonganKesehatan]' />
</div>
</div>
<div class='form-actions'>
    <input type='submit'
name=simpan class='btn btn-info btn-fill pull-right' value=simpan>
    <div id='status'></div>
</div>
<div id='submitted'></div>
</form>
</div>
</div>
</div>
</div>
</div>
";

//table
echo "
<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span12'>
<div class='widget-box'>
<div class='widget-title'>
<span class='icon'> <i class='icon-pencil'></i>
</span>
<h5>Tabel potongan </h5>
</div>
<div class='content table-responsive table-full-width'>
<table class='table table-bordered data-table'>
<thead>
<th>Kode
Potongan</th>
<th>Nama
Pegawai</th>
<th>Tanggal
Gaji</th>
<th>Potongan
Pegawai</th>
<th>Potongan
Kesehatan</th>
<th>#</th>
</thead>
<tbody>

```

```

";
$resultx=new database();
foreach($resultx-
>tampil_data("select * from potongan a left
outer join gaji b on b.KodeGaji=a.KodeGaji
left outer join pegawai c on
c.IDPegawai=b.IDPegawai
left outer join jabatan d on
b.KodeJabatan=d.KodeJabatan") as $w){
    $a=($w[GajiPegawai]*$w[PotonganP
egawai]);
    echo " <tr>
<td>$w[KodePotongan]</td>
<td>$w[NamaPegawai]</td>
<td>$w[TanggalGaji]</td>
<td>$a</td>
<td>$w[PotonganKesehatan]</td>
<td>
<a
href='?menu=potongan&gos=tambah&kd=$w[
KodePotongan]'> <i class='fa fa-edit'></i>
</a>
<a
href='?menu=potongan&gos=hapus&kd=$w[K
odePotongan]'> <i class='fa fa-trash'></i> </a>
</td>
</tr> ";
}
echo "
</tbody>
</table>
</div>
</div>
</div>
</div>
";
if (isset($_POST[simpan])){
    //simpan
    $insert =new database();
    $data['KodePotongan']
="$_POST[KodePotongan]";
    $data['KodeGaji']
="$_POST[KodeGaji]";
    $data['PotonganPegawai']
="$_POST[PotonganPegawai]";

```

```

        $data['PotonganKesehatan']
        ="$_POST[PotonganKesehatan]";
        $insert
        >insert("potongan",$data);

        //ubah
        $ubah = new database;
        $Kode =KodePotongan;
        $data['KodePotongan']
        ="$_POST[KodePotongan]";
        $data['KodeGaji']
        ="$_POST[KodeGaji]";
        $data['PotonganPegawai']
        ="$_POST[PotonganPegawai]";

        $data['PotonganKesehatan']
        ="$_POST[PotonganKesehatan]";
        $ubah-
        >update("potongan",$data,"KodePotongan    =
        '$_GET[kd]'");
        $ubah-
        >pesanMasuk("?menu=potongan","Berhasil
        simpan data");

    }
    if($_GET[gos]=="hapus"){
        $hapus = new database;
        $kode =1;
        $hapus
        >delete("potongan","KodePotongan    =
        '$_GET[kd]'");
        $hapus-
        >pesanMasuk("?menu=potongan","Berhasil
        hapus data");
    }

```